

IT'S ALL ABOUT THE FLAME We design our fireplaces to excel in every aspect - appearance, performance and durability - but

the flame is where the magic happens.

As you'll see in the following pages,

we offer an incredible line of quality

fireplaces. And they all come

standard with the exquisite flame

that sets Town & Country

luxury fireplaces apart.

| About Town & Country | |
|----------------------|----|
| Design-a-fire | ٤ |
| Innovative Features | ć |
| Construction | 8 |
| Safety | ç |
| Home Automation | 10 |
| Accent Lighting | 1 |
| Product Overview | 12 |

Models

| Models | |
|------------------------------|----------|
| TC54 | 1. |
| TC42 | 10 |
| TC36 | 18 |
| TC36 Arch | 20 |
| TC36 See-Thru | 2: |
| TC30 | 2 |
| WS54 | 2 |
| WS54 See-Thru | 2 |
| WS38 | 30 |
| WS54 Outdoor | 3: |
| TC42 Outdoor | 34 |
| TC36 Outdoor | 3 |
| WS54 Indoor-Outdoor See-Thru | 38 |
| HeliFire 360 | 40 |
| TCW12O | 1 |

Widescreen Surrounds44Town & Country Burners46Town & Country Widescreen Burners48Town & Country Firebox Panels50

Technologies

| Installation | 52 |
|--------------|----|
| Venting | 52 |

Technical Information

Appliance dimensions and minimum combustible framing dimensions 54
Minimum mantel clearances 58
Information and Resources 59



TOWN & COUNTRY A FOCAL POINT OF LUXURY FOR THE FINEST HOMES

Town & Country fireplaces transform living spaces. And while the visual impact of a Town & Country fireplace is unmatched, so is the premium quality of the design, materials, and construction — from the solid, yet sleek and contemporary exterior features to the many interior innovations you can't see. The finest craftsmanship and materials go into every fireplace, and with our unique, customizable Design-A-Fire system, you can create the perfect fireplace for your space – indoor or outdoor – with hundreds of distinctive combinations.



INNOVATIVE FEATURES

CUTTING-EDGE QUALITY, BEAUTIFUL DESIGN

Fire is a simple, primal element, but Town & Country luxury fireplaces offer many contemporary innovations to control and enjoy its warmth and beauty within your living space.



QUALITY - BUILT TO LAST AND PERFORM

Town & Country's luxury fireplaces are individually handcrafted. To eliminate any distracting noises, our fireboxes are continuous-seam welded, and are substantially heavier than those produced by our competitors. The result is quieter, safer operation, and more durable performance.




Our built-in safety screens are nearly invisible and offer reliable protection for young children, without compromising the aesthetics of your fireplace.

SEAMLESSLY INTEGRATES INTO HOME AUTOMATION SYSTEMS

Smart Home compatibility conveniently allows you to control the many functions of your fireplace while at home, as well as remotely via a smartphone app.

POWER VENTING GIVES YOU MORE OPTIONS

As well as being able to naturally vent most of our fireplaces, our industry-leading power venting system allows you the freedom to locate a fireplace up to 110 feet of run from an outside wall. The sleet Power Vent Wall Termination mounts flush to all exterior wall and can be painted to match you home's existing color, so it's unobtrusive.






PRECISION ENGINEERING

When it's your home, only the finest quality materials matter, even if it costs a little more. That's why Town & Country luxury fireplaces are individually handcrafted. To eliminate any distracting noises, our fireboxes are continuous-seam welded, and are substantially heavier than those produced by our competitors. The result is quieter, safer operation, and more durable performance because we know quality and performance, not price, matter most.

TOWN & COUNTRY POWERVENT PURGING SAFETY SYSTEM

Our pre- and post-purging system ensures the safe and consistent performance of your fireplace at all times.



HOME AUTOMATION


ONE CONTROL PANEL, MULTIPLE OPTIONS

The most up-to-date, high-tech options for controlling your Town & Country fireplace's many functions are another example of our many fine-design details. Our sleek, programmable control panel integrates seamlessly with your Home Automation system and can also be operated via our remote control device and communicates wirelessly with most smartphones. It's the ultimate in convenience to be able to access all of these functions from any room:

- » Flame On/Off
- » Light Level
- » Flame Level
- » Remote Control Lock-Out
- » Light On/Off







Indoor models only.

THE TOWN & COUNTRY COLLECTION

Town & Country luxury fireplaces are found in the finest homes and premiere hotels and restaurants across North America. With their clean lines, robust flames and vast panorama of the fire they are striking architectural features.

INDOOR













INDOOR







OUTDOOR







INDOOR/OUTDOOR




WOOD



HELIFIRE 360








Town & Country's TC54 is the world's largest factory-built, direct-vent gas fireplace, grandly proportioned to fit in great rooms and commercial settings that previously required a custom-built hearth. Tall, vibrant flames dance behind premium "disappearing" ceramic glass - a material so non-reflective your guests will believe they're looking at an open fire. When size matters, the luxurious TC54 gas fireplace delivers a massive performance.



























This is the one that started it all. Town & Country' flagship TC42 fireplace introduced the clean face category, bringing exceptional, full flames and a commanding presence to any room. With the many Design-A-Fire options – available only on Town & Country fireplaces – you can create a look uniquely your own. Go truly traditional, ultra-modern or soft and sophisticated - the choice is yours.





































Designed for medium-sized spaces, the TC36 recreates the authentic look of a full-flame, wood-burning hearth in a gas fireplace. Utilize our numerous elegant Design-A-Fire options to bring your own personal design touches to complete the look.









































TOWN & COUNTRY TC36 Arch



The grand TC36 Arch features a classic barrel arch face replicating the Rumford-style hearth found in fine period homes. This true arch fireplace has no heavy external trim or louvers to work around, allowing you to tailor the front with stone, tile or other materials for an even more traditional look.



































TOWN & COUNTRY TC36 See-Thru



Divide two rooms in dramatic fashion with the Town & Country TC36 See-Thru fireplace. The TC36 See-Thru delivers tall, bold flames to fill the generously proportioned firebox - delivering eye-catching beauty to two rooms simultaneously.







































Transform the ambiance of a small space with dramatic flames on full display. Town & Country's TC3O fireplace is the first design-driven gas fireplace perfectly sized for smaller spaces and renovation projects. With our Design-A-Fire versatility you can tailor the look - from the firebox panels to the burner - to suit your style.

































TOWN & COUNTRY **WS**54



The custom-look WS54 Widescreen is a massive landscape of deep, generous flame that captivates the attention from any angle, even in large rooms. This ultra-modern fireplace is sleek and luxurious and can be further enhanced with the multiple Design-A-Fire options – from stunning firebox panels to both traditional and contemporary burners.






















TOWN & COUNTRY WS54 See-Thru



The WS54 Widescreen See-Thru is a double-sided landscape of vibrant flame. Massive, sleek and ultra-modern, its stunning 3-dimensional flame is the focal point of two rooms at once. The ultimate statement piece, this deluxe see-thru gives the look of a luxury custom fireplace from every possible vantage point.










TITANIUM PORCELAIN





TOWN & COUNTRY **WS**38



Town & Country's Widescreen WS38 sets an attractive scene - even when the bold, full flames aren't burning. The smaller, sleek silhouette offers a contemporary look with unmatched versatility. Choose from multiple Design-A-Fire options to give it your own design touch.



BLACK PORCELAIN













33



TOWN & COUNTRY WS54 Outdoor



Town & Country sets the benchmark in premiere fireplace design with this massive panorama of flames. Built to face the elements, the Widescreen WS54 Outdoor can withstand sub-zero temperatures. And the disappearing ceramic glass ensures Town & Country's signature bold flames are always protected from wind. To withstand the challenges of the outdoor environment, Town & Country outdoor fireplaces make extensive use of 304 stainless steel, including all components exposed to the elements.





















TOWN & COUNTRY TC42 Outdoor



The TC42 fireplace creates a captivating focal point in your outdoor space. It's the perfect combination of elegant form and reliable function. The sealed firebox protects your luxury fireplace from the elements, while disappearing ceramic glass - encased in a stainless steel frame - prevents any disruption from wind and ensures a clean, clear view of the sizable flames. To withstand the challenges of the outdoor environment, Town & Country outdoor fireplaces make extensive use of 304 stainless steel, including all components exposed to the elements.

































TOWN & COUNTRY TC36 Outdoor



Expand your living space with Town & Country's TC36 Outdoor gas fireplace. Whether your home is contemporary or traditional, our interchangeable firebox panels and burner options offer endless stylish possibilities. Create the perfect combination to complement your outdoor space decor and complete your design vision. To withstand the challenges of the outdoor environment, Town & Country outdoor fireplaces make extensive use of 304 stainless steel, including all components exposed to the elements.








































TOWN & COUNTRY WS54 See-Thru Indoor-Outdoor



Our Widescreen WS54 See-Thru Indoor-Outdoor gas fireplace makes a striking architectural statement and takes outdoor living to a luxurious new level. The see-thru design extends your living space and provides a connection between interior and exterior areas allowing for all-season enjoyment. The generous, full flame profile is protected by disappearing ceramic glass and remains unaffected by the elements.




















TOWN & COUNTRY HELIFIRE 360




Our exciting new Town & Country HeliFire 36O adds a dramatic, eye-catching fire feature to any space. Its long, luxurious flame casts a seductive glow and makes a bold design statement wherever it's installed. The HeliFire 36O will be the dominant focal point from which to build your dream environment around.

Flame length may vary up to 30% due to vent length and orientation.



THE POSSIBILITIES ARE ENDLESS

With its ingenious design and unique construction, HeliFire 36O offers endless installation options for every possible application - from vertical to horizontal and everything in between, one-sided to see-thru, indoor or outdoor. The only limit is your imagination.



Natural Gas Only



Decorative Wood-burning Fireplace



A wood-burning fireplace imbued with the same design quality and industry-leading features of Town & Country gas fireplaces. The quick-lighting, and EPA-qualified TCW12O features AirWash Technology for a clear view of its warm, expansive flame. You can further enhance its exquisite architecture by choosing from Town & Country's exclusive collection of handcrafted ceramic surrounds by premium Italian manufacturer, Piazzetta.



<u>ALUKER</u>

BETTER PERFORMANCE AND A BRIGHTER FLAME

TCW120 fireboxes are lined with Aluker® panels, the exclusive refractory ceramic material patented by Piazzetta to improve combustion and heat dispersal, as well as enhances the brightness of the fire. Aluker® provides extraordinary energy storage and outstanding resistance to high temperatures - plus safety, reliability and easy maintenance.

TOWN & COUNTRY WIDE SCREEN SURROUNDS


Complement your Town & Country WS38 or WS54 Widescreen with one of our custom-designed optional steel surrounds, available in two textured powder coated finishes: graphite and copper. For interior applications only.



COPPER



GRAPHITE



PIAZZETTA DESIGN WIDE SCREEN SURROUNDS

Premier Italian ceramics manufacturer Gruppo Piazzetta has created a collection of handcrafted ceramic fireplace surrounds designed exclusively for Town & Country. Sophisticated Italian style and advanced Town & Country technology combine to create a stunning showcase in which attention to detail reflects the true essence of luxury.







TRADITIONAL BURNERS

The satisfying visual appeal of logs aflame is recreated in great detail in our Country Home, Heartwood, Chalet and Lodgewood models. These are premium, hand-carved replica logs with a life-like appearance. The Black Diamond and Tranquility offer a more minimalistic contemporary look in a traditional-shaped firebox.



COUNTRY HOME

All models except See-Thru and Wide Screen models



HEARTWOOD TC42, TC36, TC36 ARCH and TC30



CHALET TC42, TC36, TC36 ARCH and TC30



BLACK DIAMOND

All models. Tumbled glass available in four colors: Desert, Pacific, Twilight and Black







TRANQUILITY All models except WS38



LODGEWOOD TC36ST only



CHALET SEE-THRU TC36ST only

BURNERS

WIDESCREEN BURNERS

Our widescreen burners offer a scenic vista of full, rich flames in both contemporary and traditional styles. Premium materials are used to craft the look of burning driftwood, smooth river rocks and ultra-modern tumbled glass.



BLACK DIAMOND BURNER

Go sleek with tumbled glass available in four dynamic colors: Desert Diamond, Pacific Diamond, Twilight Diamond and Black Diamond.









Desert Diamond

Twilight Diamond Pacific Diamond

Black Diamond



OPTIONAL LONG BEACH LOGSET

Inspired by natural driftwood, the optional Long Beach logset (upgrade to the Black Diamond Burner) offers the appeal of a beach-side fire. For WS54ST and WS54ST I/O only. (shown with Desert Diamond tumbled glass)



TRANQUILITY BURNER

Express your contemporary lifestyle with the contrast of vibrant fire over natural-toned ceramic river rock and soft white sand.

OPTIONAL METROPOLITAN STONE SETS




Black



Grey

Available in two colors, the Metropolitan Stone Set (upgrade to the Tranquility Burner) features high gloss black or grey stones set on a bed of glistening black sand. For WS54, WS54ST, WS54ST I/O, and WS54 Outdoor Only.





REFLECTIONS BURNER

Available for the WS38 only, the Reflections burner features smooth ceramic river rock on a dramatic bed of Twilight Diamond tumbled glass.

FIREBOX PANELS

Exquisitely hand-painted to replicate masonry brick and ledgestone, these interior firebox panels provide a rustic, authentic-looking backdrop to our full flames. The handcrafted fiber panels feature fine details, textures and color, and every set is unique.

HAND CRAFTED BRICK PANELS










PORCELAIN ENAMEL PANELS









The simple beauty of Town & Country-crafted Porcelain Steel offers a clean, contemporary look that's extraordinarily durable and fade-resistant. Created in our in-house enameling facility, where temperatures exceed 1500 degrees Fahrenheit, the porcelain finish is fused with steel to create an inseparable bond that offers the flexibility and firmness of metal and the glossy hardness of glass. This process provides a lustrous, reflective finish that accentuates our robust, full flame to dramatic effect.


^{*} Handcrafted brick panels may not be exactly as shown (For all Traditional Models only)

INSTALLATION MADE EASY

Building your dream house is a complicated process, but the flexibility we've designed into our installation - from architect to builder to interior designer - makes adding a Town & Country fireplace smooth and seamless. The unit is framed-in during the construction phase and later, after the theme or aesthetic of the room has been decided, the interior designer can choose the fine details - from the firebox panels to the flame.


STEEL STUD FRAMING KIT

All Town and Country fireplace models come complete with an adjustable depth, heavy 20 gauge steel framing kit.




PRE-BUILT WALL SYSTEM

All Town & Country indoor-outdoor fireplaces come complete as part of a pre-built wall panel.




CONVENTIONAL VENTING

Most Town and Country gas fireplaces can be vented naturally with our co-axial venting systems. The advantage is no power is required. If you require a more compact vent system with unusual lengths of run and rise, investigate our revolutionary power venting systems.



Standard venting configurations for: TC30, TC36, TC36 Arch, TC36 See-Thru, WS38. TC42. TC36 Outdoor and TC42 Outdoor



DIRECT VENT TERMINALS








Standard venting Standard venting terminal for roof terminal for wall installation

Stainless Steel wall venting terminal for condo installation

VENT ABOVE OR BELOW GRADE WITH TOWN & COUNTRY'S REVOLUTIONARY POWER VENT SYSTEM

All Town & Country gas fireplaces are direct vented, meaning each fireplace is independent of your home, drawing its combustion air and expelling its exhaust to the outdoors, with no impact on you indoor air quality regardless if use a conventional vent or power vent system.

ULTRA QUIET HIGH-TECH FAN



Smart-chip technology controls precise CFM air movement with whisper-quiet operation.

FLUSH POWER VENT WALL TERMINATION



Town & Country gave you the first clean face fireplace to Termination System. Mounted flush to the exterior wall, the industry-leading innovation is helping to maintain the beauty of your home's exterior, with the first Clean Face Power Vent

Up to 66 feet of vertical run Up to 110 feet of run plus six 900 elbows Up to 3 feet below unit


POWER VENT TERMINALS







Power vent termina for roof installation

See installation manual for TC54 Power Vent terminal










enhance the beauty of your home's interior. Now that same vent can be painted to match your home's existing colour


DIMENSIONS

For reference only. Consult manual before installation.

WS54 Indoor-Outdoor See-Thru

53 5/8" x 17 3/4" 6.6 sq.feet of viewing area







| | WS54ST0K | | inch | ст |
|--|----------------------------|------|-----------------|-------------|
| | | Α | 74 3/4 | 189.9 |
| | | B(I) | 54 7/16 | 138.3 |
| | | B(0) | 57 1/2 | 146.1 |
| | () | С | 24 – 25 5/16 | 60.9 – 64.3 |
| | ANCE SION! | D | 16 7/16 | 41.8 |
| | APPLIANCE | E(I) | 18 5/8 | 47.4 |
| | | E(0) | 21 13/16 | 55.4 |
| | | F | 54 1/16 | 137.3 |
| | | G(I) | 11 5/8 | 29.5 |
| | | G(0) | 9 5/8 | 24.4 |
| | MIN. FRAMING DIMENSIONS | Н | 75 1/4 | 191.2 |
| | | 1 | 18 7/8 – 20 3/4 | 47.9 – 52.7 |
| | | J | 1/2 | 1.3 |
| | | K | 54 5/16 | 138 |

I = Indoor, O = Outdoor

WS54 See-Thru

53 5/8" x 17 3/4" 6.6 sq.feet of viewing area






| WS54ST | | inch | ст |
|---|---|-------------------|-------------|
| | Α | 74 3/4 | 189.9 |
| | В | 54 7/16 | 138.3 |
| CE | С | 24 1/4 – 26 15/16 | 61.6 – 68.4 |
| APPLIANCE DIMENSIONS | D | 16 7/16 | 41.8 |
| API | Ε | 18 5/8 | 47.4 |
| | F | 54 1/16 | 137.3 |
| | G | 11 5/8 | 29.5 |
| | Н | 75 1/4 | 191.2 |
| IBLE | 1 | 21 1/4 – 23 1/8 | 54.0 – 58.7 |
| BUST | J | 1/2 | 1.3 |
| COM | K | 54 5/16 | 138.0 |
| ≥ ≥ | | | |
| 물물 | L | | |
| MINIMUM COMBUSTIBLE FRAMING DIMENSIONS | M | | |
| MINIMU | | | |

WS54 Outdoor 53 5/8" x 17 3/4" 6.6 sq.feet of viewing area


| | WOEA | | L | l |
|--------------|---|------|--------------------|-------------|
| | WS54 | | inch | cm |
| | | A | 74 13/16 | 190.0 |
| | | В | 54 7/16 | 138.3 |
| | | B(0) | 54 7/16 | 138.3 |
| | so | С | 24 15/16 – 26 5/16 | 63.4 – 66.8 |
| | ANCE | C(0) | 22 5/8 – 23 1/4 | 57.5 – 59.1 |
| | APPLIANCE DIMENSIONS | D | 11 5/16 | 28.8 |
| | | E | 18 5/8 | 47.4 |
| | | F | 55 | 139.7 |
| | | G | 11 9/16 | 29.4 |
| | | | 11 9/16 | 29.3 |
| | | Н | 75 1/4 | 191.2 |
| | MINIMUM COMBUSTIBLE FRAMING DIMENSIONS (INCLUDING SHEETROCK) | H(0) | 74 3/8 | 188.9 |
| | | -1 | 22 9/16 – 24 5/16 | 57.3 – 61.8 |
| | | I(O) | 22 1/4 | 56.5 |
| | LE FR | J | 7/16 | 1.1 |
| | STIB | K | 11 5/16 | 28.8 |
| - ¢ 📫 | JWBL | L | 81 11/16 | 207.5 |
| \downarrow |) SNC | M | 44 5/8 | 113.3 |
| | INIMI | N | 115 9/16 | 293.5 |
| | MM | 0 | 31 9/16 | 80.2 |
| | | Р | 55 1/4 | 140.3 |
| 0 = Outdoor | | P(0) | 55 5/16 | 140.4 |
| 5 04(400) | | | | |

For reference only. Consult manual before installation.


| WS38 | | inch | cm |
|---|---|--------------------|-------------|
| | Α | 61 5/8 | 156.5 |
| | В | 40 7/16 | 102.8 |
| CE | С | 24 15/16 – 26 5/16 | 63.3 - 66.8 |
| APPLIANCE DIMENSIONS | D | 13 11/16 | 34.8 |
| APF | Ε | 16 5/8 | 42.3 |
| | F | 45 1/8 | 114.6 |
| | G | 5 7/16 | 13.8 |
| • | Н | 62 1/8 | 157.8 |
| ROCK | 1 | 22 1/2 – 24 5/16 | 57.1 – 61.7 |
| FRAN | J | 1/2 | 1.3 |
| MINIMUM COMBUSTIBLE FRAMING MENSIONS (INCLUDING SHEETROCI | K | 13 11/16 | 34.8 |
| BUST | L | 72 | 182.9 |
| COM S (INC | М | 37 3/4 | 95.9 |
| MUM | N | 101 13/16 | 258.6 |
| MINIMUM COMBUSTIBLE FRAMING DIMENSIONS (INCLUDING SHEETROCK) | 0 | 26 11/16 | 67.8 |
| | Р | 45 5/16 | 115.1 |



| TC54 | | inch | cm |
|---|---|--------------------|-------------|
| | Α | 36 5/8 | 93.0 |
| | В | 54 5/16 | 138.0 |
| | С | 62 1/2 | 158.8 |
| CE | D | 33 7/16 – 34 7/8 | 85.0 – 88.5 |
| APPLIANCE | Ε | 14 11/16 | 37.3 |
| API | F | 18 13/16 – 20 3/16 | 47.7 – 51.3 |
| | G | 44 7/16 | 112.9 |
| | Н | 48 1/8 | 122.2 |
| | I | 63 7/8 | 162.2 |
| | J | 64 1/16 | 162.8 |
| IBLE | K | 31 3/16 – 32 15/16 | 79.2 – 83.7 |
| BUST | L | 1/2 | 1.3 |
| 11NIMUM COMBUSTIBLE FRAMING DIMENSIONS | М | 81 1/8 | 206.1 |
| MUM | N | 37 11/16 | 95.7 |
| ME AS | 0 | 114 11/16 | 291.3 |
| | Р | 64 3/16 | 163.0 |




| TC42 | | inch | cm | |
|---|------|------------------|-------------|-----------|
| | А | 29 9/16 | 75.1 | |
| | В | 44 7/16 | 112.9 | |
| | B(0) | 44 7/16 | 112.9 | |
| | С | 53 1/16 | 134.8 | |
| so | D | 29 3/8 - 30 3/4 | 74.6 – 78.0 | |
| APPLIANCE DIMENSIONS | D(0) | 27 1/4 – 28 1/2 | 69.3 – 72.4 | |
| APPLI NIMEN | Е | 12 5/8 | 32.1 | |
| - 6 | F | 16 3/4 – 18 1/16 | 42.5 – 45.9 | |
| | G | 38 1/2 | 97.8 | |
| | G(0) | 38 1/2 | 97.8 | |
| | Н | 42 3/16 | 107.2 | |
| | - 1 | 53 15/16 | 137.0 | |
| | J | 56 9/16 | 143.7 | |
| lG CK) | J(0) | 56 9/16 | 143.7 | |
| SAMIN | K | 27 1/16 – 28 3/4 | 68.7 – 73.0 | + |
| S SHE | K(0) | 26 7/8 | 68.2 | K |
| JSTIB | L | 1/2 | 1.3 | |
| OMB(| M | 65 1/2 | 166.4 | |
| MINIMUM COMBUSTIBLE FRAMING DIMENSIONS (INCLUDING SHEETROCK) | N | 30 1/16 | 76.4 | |
| MINIM | 0 | 92 5/8 | 235.3 | |
| - 5 | Р | 54 1/16 | 137.4 | |
| | P(0) | 54 1/16 | 137.4 | 0 = Outdo |





For reference only. Consult manual before installation.

TC36 TC36 Outdoor

37 1/2" x 32 3/16" 8.4 sq.feet of viewing area









| TC36 | | inch | ст |
|--------------------------------|---|-------------------|-------------|
| | Α | 26 | 66.0 |
| | В | 38 9/16 | 98.0 |
| | С | 47 3/8 | 120.3 |
| CE | D | 26 9/16 – 28 1/16 | 67.5 – 71.3 |
| APPLIANCE DIMENSIONS | E | 12 1/2 | 31.8 |
| APF | F | 14 1/16 – 15 9/16 | 35.8 – 39.6 |
| | G | 32 1/2 | 82.6 |
| | Н | 36 1/8 | 91.8 |
| | 1 | 47 3/4 | 121.3 |
| | J | 50 11/16 | 128.8 |
| BLE | K | 24 1/4 – 26 | 61.6 – 66.1 |
| BUST | L | 1/2 | 1.3 |
| AINIMUM COMBUSTIBLE FRAMING | M | 61 1/16 | 155.1 |
| | N | 29 9/16 | 75.1 |
| MIN | 0 | 86 5/16 | 219.2 |
| | Р | 48 5/16 | 122.7 |

TC36 See-Thru

37 1/2" x 32 3/16" 8.4 sq.feet of viewing area








| Т | inch | ст |
|---|-------------------------|--|
| Α | 38 9/16 | 98.0 |
| В | 28 3/8 – 31 3/8 | 72.0 – 79.6 |
| С | 55 15/16 | 142.1 |
| D | 29 1/8 | 74.0 |
| Е | 32 1/2 | 82.6 |
| F | 41 1/4 | 104.8 |
| G | 48 1/16 | 122.1 |
| Н | 46 3/8 | 117.8 |
| 1 | 5 15/16 | 15.1 |
| J | 59 15/16 | 152.2 |
| K | 48 5/16 | 122.7 |
| L | 1/2 | 1.3 |
| М | 23 11/16 – 27 3/16 | 60.2 - 69.1 |
| N | | |
| 0 | | |
| Р | | |
| | A B C D E F G H I M N O | A 38 9/16 B 28 3/8 - 31 3/8 C 55 15/16 D 29 1/8 E 32 1/2 F 41 1/4 G 48 1/16 H 46 3/8 I 5 15/16 J 59 15/16 K 48 5/16 L 1/2 M 23 11/16 - 27 3/16 N O |

TC30

31 1/2" x 28 3/16" 6.2 sq.feet of viewing area










| TC30 | | inch | ст |
|--------------------------------|---|--------------------|-------------|
| | Α | 26 | 66.0 |
| | В | 32 1/2 | 82.6 |
| | С | 47 3/8 | 120.3 |
| ICE | D | 24 9/16 – 25 15/16 | 62.4 - 65.9 |
| APPLIANCE DIMENSIONS | Е | 10 3/4 | 27.2 |
| API | F | 13 7/8 – 15 1/4 | 35.2 – 38.7 |
| | G | 28 1/2 | 72.4 |
| | Н | 36 1/8 | 91.8 |
| | I | 40 5/16 | 102.4 |
| | J | 47 13/16 | 121.5 |
| BLE | K | 22 7/16 – 24 1/4 | 57.0 – 61.5 |
| BUST IG | L | 1/2 | 1.3 |
| MINIMUM COMBUSTIBLE FRAMING | M | 61 1/16 | 155.1 |
| | N | 29 9/16 | 75.1 |
| | 0 | 86 5/16 | 219.2 |
| | Р | 40 3/4 | 103.2 |
| | | | |

For reference only. Consult manual before installation.

| | HeliFire | | inch | cm |
|--|---|---|---------|--------|
| | | Α | 14 1/2 | 36.83 |
| | | В | 8 13/16 | 22.38 |
| | CE | С | 7 9/16 | 19.20 |
| | APPLIANCE DIMENSIONS | D | 3 3/4 | 9.52 |
| | API | Ε | 62 3/16 | 157.95 |
| | | F | 99 | 251.46 |
| | | G | 18 3/8 | 46.67 |
| | | Н | | |
| | ROCK | 1 | | |
| | FRAN | J | 3/8 | 0.95 |
| | MINIMUM COMBUSTIBLE FRAMING DIMENSIONS (INCLUDING SHEETROCK) | K | | |
| | | L | | |
| | | М | | |
| | | N | | |
| | | 0 | | |
| | | Р | | |







BTU INPUT AND EFFICIENCY

Gas Fireplaces


| | NATURAL GAS | | | LIQUID PROPANE | | |
|--------------------------------|-------------|--------|-----------|----------------|--------|-----------|
| Model | NG High | NG Low | EnerGuide | LP High | LP Low | EnerGuide |
| Heli Fire | 22,000 | 22,000 | 16.8% | - | - | - |
| WS54 See-Thru (Indoor-Outdoor) | 61,000 | 39,000 | 30.8% | 61,000 | 39,000 | 30.8% |
| WS54/WS54 Outdoor | 54,900 | 46,200 | 26.72% | 54,900 | 46,200 | 26.72% |
| WS38 | 47,000 | 35,000 | 38.84% | 47,000 | 35,000 | 38.84% |
| TC54 | 83,700 | 67,000 | 32.28% | 83,700 | 67,000 | 32.28% |
| TC42/TC42 Outdoor | 61,000 | 46,200 | 37,19% | 61,000 | 46,200 | 37,19% |
| TC36/TC36 Outdoor | 47,000 | 35,000 | 23.31% | 47,000 | 35,000 | 23.31% |
| TC36 See-Thru | 61,000 | 46,200 | 36.45% | 61,000 | 46,200 | 36.45% |
| TC30 | 35,000 | 27,000 | 36.09% | 35,000 | 27,000 | 36.09% |

MINIMUM CLEARANCES TO COMBUSTIBLE MATERIAL

LINEAR GAS FIREPLACES

| Unit | А | В | С |
|------------------------------|-----|-------|-------|
| Mantel Depth | 12" | 63/4" | 11/2" |
| WS54 Indoor-Outdoor See Thru | 9" | 6" | 3" |
| WS54 See Thru | 9" | 6" | 3" |
| WS54 | 9" | 6" | 3" |
| WS38 | 9" | 6" | 3" |


Consult manual for wall construction and non-combustible wall sheeting requirements.



TRADITIONAL GAS FIREPLACES

| Unit | А | В | С |
|---------------------------------|-----|-------|-------|
| Mantel Depth | 12" | 63/4" | 11/2" |
| TC54 | 17" | 15" | 12" |
| TC42 / TC42 Outdoor | 9" | 6" | 3" |
| TC36 / TC36 Arch / TC36 Outdoor | 9" | 6" | 3" |
| TC36 See Thru | 9" | 6" | 3" |
| TC30 | 9" | 6" | 3" |

Consult manual for wall construction and non-combustible wall sheeting requirements.



Note: If the TC54 is placed on a combustible floor, the fireplace must be raised at least 1" to accommodate the required 2" non-combustible raised hearth and to ensure that the hearth does not interfere with the window frame operation. Refer to the astallation instructions provided with the appliance.


TCW120 WOOD FIREPLACE

The stove may be installed on a combustible floor provided ember protection made from a non-combustible material with a minimum K value of 23.7 btu/ft h $^{\rm PC}$ (minimum 20 gauge metal) is used in front of the unit. This protection must extend as follows:

| Ember protection | Depth | Width | |
|------------------|-------|---------|--|
| USA | 18" | 64 1/8" | |
| CANADA | 18" | 76 5/8" | |

Consult manual for wall construction and non-combustible

wall sheeting requirements.



RESOURCES

Architect Resource Centre: Fireplace layout planning and technical installation consultation specifically for architects and designers. 1.888.223.0088 architects@townandcountryfireplaces.com

CSI Specifications: Available in multiple formats under "Specifications" www.townandcountryfireplaces.com


CAD Drawings: Available for each model under "Products" www.townandcountryfireplaces.com

See it Burn:
Actual burn video ready for viewing
www.townandcountryfireplaces.com

Architect Installation Handbooks:


Basic framing dimensions and installation requirements available for each model under "Products" www.townandcountryfireplaces.com

Town & Country Showrooms: Find the showroom nearest you www.townandcountryfireplaces.com




Town & Country is committed to continuous product improvement and innovation. As a result, appearance and specifications of the products featured in this brochure are subject to change without notice. For more information, please visit townandcountryfireplaces.com

FIREBOX DIMENSIONS




WS54, WS54 OUTDOOR & WS54 SEE THRU

53 5/8" x 17 3/4" 952 sq. inches of viewing area 136.20 cm x 45.09 cm




WS38

39 5/8" x 15 5/8" 619 sq. inches of viewing area 100.65 cm x 39.69 cm



TC54

53 9/16" x 44 1/8" 2363 sq. inches of viewing area 136.05 cm x 112.08 cm



TC42 & TC42 OUTDOOR

43 1/2" x 38 1/8" 1658 sq. inches of viewing area 110.49 cm x 96.84 cm



TC36 & TC36 OUTDOOR

37 1/2" x 32 3/16" 1207 sq. inches of viewing area 92.25 cm x 81.76 cm



TC36 ARCH

37 1/2" x 32 3/16" 962 sq. inches of viewing area 92.25 cm x 81.76 cm



TC36 SEE THRU

37 1/2" x 32 3/16" 1207 sq. inches of viewing area 92.25 cm x 81.76 cm



TC30

31 1/2" x 28 3/16" 888 sq. inches of viewing area 80 cm x 71.6 cm

61



OUR PROMISE

TOWN & COUNTRY LIMITED LIFETIME WARRANTY

Our promise is backed up by our Limited Lifetime Warranty, and by a North America-wide network of dealers committed to providing the utmost in service and support. And behind it all stands our sales and technical team, ready to provide their skills and expertise.

On behalf of Town & Country, I would like to thank you for your interest in our company and our products. Every one of us is dedicated to providing you with superbly crafted products that we hope will be the centerpiece of your home.

Thanks to superior engineering, the highest quality materials, and a relentless attention to detail, Town & Country products should provide comfort and pleasure for a lifetime, in fact, I guarantee it will.

Paul EricksonCEO & Founder

TOWNANDCOUNTRYFIREPLACES.COM